Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
P. Chambon
J. Davies
G. A. Gilbert
M. Gottesman
R. Huber
A. Klug
D. E. Koshland
S. Lowey
V. Luzzati
M. F. Moody
D. Nathans
C. C. Richardson
P. M. B. Walker
J. C. Wang
K. Weber
S. M. Weissman

VOLUME 116
15 October to 15 November 1977

ACADEMIC PRESS
London New York San Francisco

Copyright © 1977, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS TO VOLUME 116

NUMBER 1, 15 OCTOBER 1977

BROWN, N. L. and SMITH, M., The Sequence of a Region of Bacteriophage ϕX174 DNA Coding for Parts of Genes *A* and *B* 1

Appendix: MCCALLUM, D. and SMITH, M., Computer Processing of DNA Sequence Data 29

NONN, E. M. and BERNSTEIN, C., Multiplicity Reactivation and Repair of Nitrous Acid-induced Lesions in Bacteriophage T4 31

NOLL, M., DNA Folding in the Nucleosome 49

COLMAN, P. M., SCHRAMM, H. J. and GUSS, J. M., Crystal and Molecular Structure of the Dimer of Variable Domains of the Bence-Jones Protein ROY . 73

KRASIN, F. and HUTCHINSON, F., Repair of DNA Double-strand Breaks in *Escherichia coli*, which Requires *rec*A Function and the Presence of a Duplicate Genome 81

REHA-KRANTZ, L. J. and BESSMAN, M. J., Studies on the Biochemical Basis of Mutation. IV. Effect of Amino Acid Substitution on the Enzymatic and Biological Properties of Bacteriophage T4 DNA Polymerase . . 99

BESSMAN, M. J. and REHA-KRANTZ, L. J., Studies on the Biochemical Basis of Spontaneous Mutation. V. Effect of Temperature on Mutation Frequency . 115

KLECKNER, N., ROTH, J. and BOTSTEIN, D., Genetic Engineering *in vivo* Using Translocatable Drug-resistance Elements 125

SCHINDLER, J. and SUSSMAN, M., Ammonia Determines the Choice of Morphogenetic Pathways in *Dictyostelium discoideum* 161

LETTERS TO THE EDITOR

MAGNUS, K. A. and LOVE, W. E., Crystals of a Functional 70,000 Molecular Weight Subunit of Hemocyanin from *Limulus polyphemus* . . 171

STEWART, M. and STEWART, F., Constant and Variable Regions in Glycoprotein Hormone Beta Subunit Sequences: Implications for Receptor Binding Specificity 175

CZERWINSKI, E. W., BETHGE, P. H., MATHEWS, F. S. and CHUNG, A. E., A Preliminary Crystallographic Study of Isocitrate Dehydrogenase from *Azotobacter vinelandii* 181

NUMBER 2, 25 OCTOBER 1977

LAPOLLA, R. J. and LAMBOWITZ, A. M., Mitochondrial Ribosome Assembly in *Neurospora crassa*. Chloramphenicol Inhibits the Maturation of Small Ribosomal Subunits 189

CLEVELAND, D. W., HWO, S.-Y. and KIRSCHNER, M. W., Purification of Tau, a Microtubule-associated Protein that Induces Assembly of Microtubules from Purified Tubulin 207

CLEVELAND, D. W., HWO, S.-Y. and KIRSCHNER, M. W., Physical and Chemical Properties of Purified Tau Factor and the Role of Tau in Microtubule Assembly 227

LIVINGSTON, D. M. and KUPFER, D. M., Control of *Saccharomyces cerevisiae* 2μm DNA Replication by Cell Division Cycle Genes that Control Nuclear DNA Replication 249

MCNICOL, L. A., SIMON, L. D. and BLACK, L. W., A Mutation Which Bypasses the Requirement for p24 in Bacteriophage T4 Capsid Morphogenesis . 261

MANNING, P. A., PUGSLEY, A. P. and REEVES, P., Defective Growth Functions in Mutants of *Escherichia coli* K12 Lacking a Major Outer Membrane Protein 285

CREPEAU, R. H., MCEWEN, B., DYKES, G. and EDELSTEIN, S. J., Structural Studies on Porcine Brain Tubulin in Extended Sheets 301

ZIMMERMAN, S. B., DAVIES, D. R. and NAVIA, M. A., An Ordered Single-stranded Structure for Polyadenylic Acid in Denaturing Solvents. An X-ray Fiber Diffraction and Model Building Study 317

LETTERS TO THE EDITOR

VILLAFRANCA, J. E. and ROBERTUS, J. D., Crystallographic Study of the Anti-tumor Protein Ricin 331

GHOSH, A., DAS, J. and MANILOFF, J., Lack of Repair of Ultraviolet Light Damage in *Mycoplasma gallisepticum* 337

ANNOUNCEMENTS 345

NUMBER 3, 5 NOVEMBER 1977

WAGENKNECHT, T. and BLOOMFIELD, V. A., *In vitro* Polymerization of Bacteriophage T4D Tail Core Subunits 347

Cabezón, T., Herzog, A., Petre, J., Yaguchi, M. and Bollen, A., Ribosomal Assembly Deficiency in an *Escherichia coli* Thermosensitive Mutant having an Altered L24 Ribosomal Protein 361

Coombs, D. H. and Eiserling, F. A., Studies on the Structure, Protein Composition and Assembly of the Neck of Bacteriophage T4 375

Hill, C. W., Grafstrom, R. H., Harnish, B. W. and Hillman, B. S., Tandem Duplications Resulting from Recombination between Ribosomal RNA Genes in *Escherichia coli* 407

Nojima, H., Ikai, A., Oshima, T. and Noda, H., Reversible Thermal Unfolding of Thermostable Phosphoglycerate Kinase. Thermostability Associated with Mean Zero Enthalpy Change 429

Branlant, C., Krol, A., Sriwidada, J. and Ebel, J-P., Characterization of Ribonucleoprotein Subparticles from 50 S Ribosomal Subunits of *Escherichia coli* 443

Siu, C-H., Lerner, R. A. and Loomis, W. F., Jr, Rapid Accumulation and Disappearance of Plasma Membrane Proteins During Development of Wild-type and Mutant Strains of *Dictyostelium discoideum* 469

Crowther, R. A., Lenk, E. V., Kikuchi, Y. and King, J., Molecular Reorganization in the Hexagon to Star Transition of the Baseplate of Bacteriophage T4 489

Westphal, H. and Lai, S-P., Quantitative Electron Microscopy of Early Adenovirus RNA 525

Kaufmann, G., Anderson, S. and DePamphilis, M. L., RNA Primers in Simian Virus 40 DNA Replication. II. Distribution of 5′ Terminal Oligoribonucleotides in Nascent DNA 549

Kuiper, H. A., Antonini, E. and Brunori, M., Kinetic Control of Co-operativity in the Oxygen Binding of *Panulirus interruptus* Hemocyanin . 569

Wishnia, A. and Boussert, A. S., The Non-specific Role of Mg^{2+} in Ribosomal Subunit Association: Kinetics and Equilibrium in the Presence of Other Divalent Metal Ions 577

Newman, J., Swinney, H. L. and Day, L. A., Hydrodynamic Properties and Structure of fd Virus 593

Appendix: Day, L. A. and Berkowitz, S. A., The Number of Nucleotides and the Density and Refractive Index Increments of fd Virus DNA . 603

LETTERS TO THE EDITOR

WISEMAN, R. L. and DAY, L. A., Different Packaging of DNA in the Filamentous Viruses Pf1 and Xf 607

KOBAYASHI, Y. and MOHRI, H., Microheterogeneity of Alpha and Beta Subunit of Tubulin from Microtubules of Starfish (*Asterias amurensis*) Sperm Flagella 613

WANG, B. C., YOO, C. S., HWAN, R. Y., SAX, M., BROWN, W. E. and MICHAELS, M., Structure of Bence-Jones Protein, Pav: an Initial Report 619

NASH, H. A., ENQUIST, L. W. and WEISBERG, R. A., On the Role of the Bacteriophage λ *int* Gene Product in Site Specific Recombination 627

ERRATUM 633

NUMBER 4, 15 NOVEMBER 1977

ROSS, M. J., KLYMKOWSKY, M. W., AGARD, D. A. and STROUD, R. M., Structural Studies of a Membrane-bound Acetylcholine Receptor from *Torpedo californica*. 635

SHEN, C-K. J., HSIEH, T-S., WANG, J. C. and HEARST, J. E., Photochemical Cross-linking of DNA–RNA Helices by Psoralen Derivatives. . . 661

MIYAMOTO, C. and DENHARDT, D. T., Evidence for the Presence of Ribonucleotides at the 5′ Termini of Some DNA Molecules Isolated from *Escherichia coli polA*ex2 681

SHALABY, R. A. F. and LAUFFER, M. A., Hydrogen Ion Uptake upon Tobacco Mosaic Virus Protein Polymerization 709

SCHREIER, M. H., ERNI, B. and STAEHELIN, T., Initiation of Mammalian Protein Synthesis. I. Purification and Characterization of Seven Initiation Factors 727

TRACHSEL, H., ERNI, B., SCHREIER, M. H. and STAEHELIN, T., Initiation of Mammalian Protein Synthesis. II. The Assembly of the Initiation Complex with Purified Initiation Factors 755

THOMAS, J. O. and BUTLER, P. J. G., Characterization of the Octamer of Histones Free in Solution 769

BEATTIE, K. L., WIEGAND, R. C. and RADDING, C. M., Uptake of Homologous Single-stranded Fragments by Superhelical DNA. II. Characterization of the Reaction 783

Wiegand, R. C., Beattie, K. L., Holloman, W. K. and Radding, C. M., Uptake of Homologous Single-stranded Fragments by Superhelical DNA. III. The Product and its Enzymic Conversion to a Recombinant Molecule 805

Radding, C. M., Beattie, K. L., Holloman, W. K. and Wiegand, R. C., Uptake of Homologous Single-stranded Fragments by Superhelical DNA. IV. Branch Migration 825

Calame, K. and Ihler, G., Physical Location of Ribosome Binding Sites on Lambda DNA 841

Wodak, S. Y., Liu, M. Y. and Wyckoff, H. W., The Structure of Cytidilyl (2′, 5′) Adenosine When Bound to Pancreatic Ribonuclease S 855

Letters to the Editor

Oliver, D. B. and Goldberg, E. B., Protection of Parental T4 DNA from a Restriction Exonuclease by the Product of Gene *2* 877

Greaser, M. L., Yamaguchi, M. and Vanderkooi, G., Crystal Forms of α_2-Tropomyosin 883

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_1977_116_index-contents

Index to Volume 116

Acetylcholine receptor, membrane-bound, from *Torpedo californica*, structural studies, 635
Adenovirus RNA, early, quantitative electron microscopy, 525
Agard, D. A. (see also Ross, M. J.), 635
Alpha and beta subunit microheterogeneity for tubulin from microtubules of starfish (*Asterias amurensis*) sperm flagella, 613
Amino acid substitution, its effect on the enzymatic and biological properties of bacteriophage T4 DNA polymerase; studies on the biochemical basis of mutation, 99
Ammonia determines the choice of morphogenetic pathways in *Dictyostelium discoideum*, 161
Anderson, S. (see also Kaufmann, G.), 549
Antonini, E. (see also Kuiper, H. A.), 569
Assembly of microtubules, the role of tau; physical and chemical properties of purified tau factor, 227
Association of ribosomal subunits, non-specific role of Mg^{2+}: kinetics and equilibrium in the presence of other divalent metal ions, 577
Asterias amurensis sperm flagella, microheterogeneity of alpha and beta subunit of tubulin from microtubules, 613
Azotobacter vinelandii isocitrate dehydrogenase, a preliminary crystallographic study, 181

Bacterial genetics, new methods: genetic engineering *in vivo* using translocatable drug-resistance elements, 125
Bacteriophage λ DNA, physical location of ribosome binding sites, 841
— — *int* gene product, role in site specific recombination, 627
—ϕX174 DNA, the sequence of a region coding for parts of genes *A* and *B*, 1
— T4 baseplate, molecular reorganization in the hexagon to star transition, 489
— — capsid morphogenesis, a mutation which bypasses the requirement for p24, 261
— — DNA, parental, protection from a restriction exonuclease by the product of gene *2*, 877
— — — polymerase, effect of amino acid substitution on its enzymatic and biological properties; studies on the biochemical basis of mutation, 99
— —, multiplicity reactivation and repair of nitrous acid-induced lesions, 31
— —, studies on the structure, protein composition and assembly of the neck, 375
— T4D, *in vitro* polymerization of tail core subunits, 347
Baseplate of bacteriophage T4, molecular reorganization in the hexagon to star transition, 489
Beattie, K. L., Wiegand, R. C. & Radding, C. M., Uptake of homologous single-stranded fragments by superhelical DNA. II. Characterization of the reaction, 783
—, (see also Radding, C. M.), 825
—, (see also Wiegand, R. C.), 805
Bence-Jones protein, Pav, an initial report of its structure, 619
— - — —, ROY, crystal and molecular structure of the dimer of variable domains, 73
Berkowitz, S. A. (see also Day, L. A.), 603
Bernstein, C. (see also Nonn, E. M.), 31
Bessman, M. J. & Reha-Krantz, L. J., Studies on the biochemical basis of spontaneous mutation. V. Effect of temperature on mutation frequency, 115
— (see also Reha-Krantz, L. J.), 99
Beta and alpha subunit microheterogeneity for tubulin from microtubules of starfish (*Asterias amurensis*) sperm flagella, 613
— subunit sequences, glycoprotein hormone, constant and variable regions; implications for receptor binding specificity, 175
Bethge, P. H. (see also Czerwinski, E. W.), 181
Binding sites of ribosomes, physical location on lambda DNA, 841
Black, L. W. (see also McNicol, L. A.), 261
Bloomfield, V. A. (see also Wagenknecht, T.), 347
Bollen, A. (see also Cabezón, T.), 361
Botstein, D. (see also Kleckner, N.), 125
Boussert, A. S. (see also Wishnia, A.), 577
Brain tubulin, porcine, in extended sheets, structural studies, 301
Branch migration and the uptake of homologous single-stranded fragments by superhelical DNA, 825

Branlant, C., Krol, A., Sriwidada, J. & Ebel, J-P., Characterization of ribonucleoprotein subparticles from 50 S ribosomal subunits of *Escherichia coli*, 443
Brown, N. L. & Smith, M., The sequence of a regio of bacteriophage ϕX174 DNA coding for parts of genes *A* and *B*, 1
Brown, W. E. (see also Wang, B. C.), 619
Brunori, M. (see also Kuiper, H. A.), 569
Butler, P. J. G. (see also Thomas, J. O.), 769

Cabezón, T., Herzog, A., Petre, J., Yaguchi, M. & Bollen, A., Ribosomal assembly deficiency in an *Escherichia coli* thermosensitive mutant having an altered L24 ribosomal protein, 361
Calame, K. & Ihler, G., Physical location of ribosome binding sites on lambda DNA, 841
Capsid morphogenesis of bacteriophage T4, a mutation which bypasses the requirement for p24, 261
Chloramphenicol inhibits the maturation of small mitochondrial ribosomal subunits in *Neurospora crassa*, 189
Chung, A. E. (see also Czerwinski, E. W.), 181
Cleveland, D. W., Hwo, S.-Y. & Kirschner, M. W., Physical and chemical properties of purified tau factor and the role of tau in microtubule assembly, 227
—, — & —, Purification of tau, a microtubule-associated protein that induces assembly of microtubules from purified tubulin, 207
Colman, P. M., Schramm, H. J. & Guss, J. M., Crystal and molecular structure of the dimer of variable domains of the Bence-Jones protein ROY, 73
Computer processing of DNA sequence data, 29
Coombs, D. H. & Eiserling, F. A., Studies on the structure, protein composition and assembly of the neck of bacteriophage T4, 375
Co-operativity kinetic control in the oxygen binding of *Panulirus interruptus* hemocyanin, 569
Crepeau, R. H., McEwen, B., Dykes, G. & Edelstein, S. J., Structural studies on porcine brain tubulin in extended sheets, 301
Cross-linking, photochemical, of DNA-RNA helices by psoralen derivatives, 661
Crowther, R. A., Lenk, E. V., Kikuchi, Y. & King, J., Molecular reorganization in the hexagon to star transition of the baseplate of bacteriophage T4, 489
Crystal and molecular structure of the dimer of variable domains of the Bence-Jones protein ROY 73
— forms of α_2-tropomyosin, 883
Crystals of a functional 70,000 molecular weight subunit of hemocyanin from *Limulus polyphemus*, 171
Crystallographic study of the anti-tumor protein ricin, 331
— —, preliminary, of isocitrate dehydrogenase from *Azotobacter vinelandii*, 181
Cytidilyl (2′, 5′) adenosine bound to pancreatic ribonuclease S, structure, 855
Czerwinski, E. W., Bethge, P. H., Mathews, F. S. & Chung, A. E., A preliminary crystallographic study of isocitrate dehydrogenase from *Azotobacter vinelandii*, 181

Das, J. (see also Ghosh, A.), 337
Davies, D. R. (see also Zimmerman, S. B.), 317
Day, L. A. & Berkowitz, S. A., The number of nucleotides and the density and refractive index increments of fd virus DNA (*Appendix* to Newman, J. *et al.*, 593), 603
—, (see also Newman, J.), 593
—, (see also Wiseman, R. L.), 607
Denhardt, D. T. (see also Miyamoto, C.), 681
DNA, different packaging in the filamentous viruses Pf1 and Xf, 607
DNA double-strand breaks in *Escherichia coli*, repair requires *rec*A function and the presence of a duplicate genome, 81
— folding in the nucleosome, 49
— molecules isolated from *Escherichia coli polA ex2*, evidence for the presence of ribonucleotides at the 5′ termini, 681
— of bacteriophage lambda, physical location of ribosome binding sites, 841
— — — ϕX174, the sequence of a region coding for parts of genes *A* and *B*, 1
— — — T4, parental, protection from a restriction exonuclease by the product of gene *2*, 877
— — fd virus, the number of nucleotides and the density and refractive index increments, 603
— polymerase of bacteriophage T4, effect of amino acid substitution on its enzymatic and biological properties; studies on the biochemical basis of mutation, 99
— replication, SV40, and RNA primers; distribution of 5′ terminal oligoribonucleotides in nascent DNA, 549

—, 2μm of *Saccharomyces cerevisiae*, replication control by cell division cycle genes that control nuclear DNA replication, 249
— sequence data processing by computer, 29
—, superhelical, and its uptake of homologous single-stranded fragments: branch migration, 825
—, —, — — — — — — — - — —: and its uptake of homologous single-stranded fragments: characterization of the reaction, 783
—, —, — — — — — — — - — —: the product and its enzymic conversion to a recombinant molecule, 805
— -RNA helices, photochemical cross-linking by Psoralen derivatives, 661
Depamphilis, M. L. (see also Kaufmann, G.), 549
Dictyostelium discoideum, ammonia determines the choice of morphogenetic pathways, 161
— —, rapid accumulation and disappearance of plasma membrane proteins during development of wild-type and mutant strains, 469
Drug-resistance elements, translocatable, used in *in vivo* genetic engineering, 125
Duplications, tandem, resulting from recombination between ribosomal RNA genes in *Escherichia coli*, 407
Dykes, G. (see also Crepeau, R. H.), 301

Ebel, J-P, (see also Branlant, C.), 443
Edelstein, S. J. (see also Crepeau, R. H.), 301
Eiserling, F. A. (see also Coombs, D. H.), 375
Electron microscopy, quantitative, of early adenovirus RNA, 525
Enquist, L. W. (see also Nash, H. A.), 627
Erni, B. (see also Schreier, M. H.), 727
— (see also Trachsel, H.), 755
Escherichia coli, characterization of ribonucleoprotein subparticles from 50 S ribosomal subunits, 443
— — K12, defective growth functions in mutants lacking a major outer membrane protein, 285
— — *pol*A*ex*2 DNA molecules, evidence for the presence of ribonucleotides at the 5′ termini, 681
— —, repair of DNA double-strand breaks requires *rec*A function and the presence of a duplicate genome, 81
— —, ribosomal assembly deficiency in a thermosensitive mutant having an altered L24 ribosomal protein, 361
— —, tandem duplications resulting from recombination between ribosomal RNA genes, 407

fd virus DNA, the number of nucleotides and the density and refractive index increments, 603
— —, hydrodynamic properties and structure, 593
Folding of DNA in the nucleosome, 49

Gene *2* product protects parental T4 DNA from a restriction exonuclease, 877
Genes *A* and *B*, the sequence of coding region of bacteriophage φX174 DNA, 1
Genetic engineering *in vivo* using translocatable drug-resistance elements; new methods in bacterial genetics, 125
Ghosh, A., Das, J. & Maniloff, J., Lack of repair of ultraviolet light damage in *Mycoplasma gallisepticum*, 337
Glycoprotein hormone beta subunit sequences, constant and variable regions; implications for receptor binding specificity, 175
Goldberg, E. B. (see also Oliver, D.B.), 877
Grafstrom, R. H. (see also Hill, C. W.), 407
Greaser, M. L., Yamaguchi, M. & Vanderkooi, G., Crystal forms of α_2-tropomyosin, 883
Guss, J. M. (see also Colman, P. M.), 73

Harnish, B. W. (see also Hill, C. W.), 407
Hearst, J. E. (see also Shen, C-K. J.), 661
Hemocyanin from *Limulus polyphemus*, crystals of a functional 70,000 molecular weight subunit, 171
— of *Panulirus interruptus*, kinetic control of co-operativity in oxygen binding, 569
Herzog, A. (see also Cabezón, T.), 361
Hill, C. W., Grafstrom, R. H., Harnish, B. W. & Hillman, B. S., Tandem duplications resulting from recombination between ribosomal RNA genes in *Escherichia coli*, 407
Hillman, B. S. (see also Hill, C. W.), 407
Histones free in solution, characterization of octamer, 769

Holloman, W. K. (see also Radding, C. M.), 825
— (see also Wiegand, R. C.), 805
Hormone beta subunit sequences, constant and variable regions; implications for receptor binding specificity, 175
Hsieh, T-S. (see also Shen, C-K. J.), 661
Hutchinson, F. (see also Krasin, F.), 81
Hwan, R. Y. (see also Wang, B. C.), 619
Hwo, S.-Y. (see also Cleveland, D. W.), 207, 227
Hybrids, DNA–RNA, photochemical cross-linking by Psoralen derivatives, 661
Hydrodynamics and structure of fd virus, 593
Hydrogen ion uptake upon tobacco mosaic virus protein polymerization, 709

Ihler, G. (see also Calame, K.), 841
Ikai, A. (see also Nojima, H.), 429
Initiation of mammalian protein synthesis: the assembly of the initiation complex with purified initiation factors, 755
— — — — —: purification and characterization of seven initiation factors, 727
int gene product, bacteriophage λ, role in site specific recombination, 627
Isocitrate dehydrogenase from *Azotobacter vinelandii*, a preliminary crystallographic study, 181

Kaufmann, G., Anderson, S. & Depamphilis, M. L., RNA primers in Simian virus 40 DNA replication. II. Distribution of 5′ terminal oligoribonucleotides in nascent DNA, 549
Kikuchi, Y. (see also Crowther, R. A.), 489
Kinetic control of co-operativity in the oxygen binding of *Panulirus interruptus* hemocyanin, 569
King, J. (see also Crowther, R. A.), 489
Kirschner, M. W. (see also Cleveland, D. W.), 207, 227
Kleckner, N., Roth, J. & Botstein, D., Genetic engineering *in vivo* using translocatable drug-resistance elements, 125
Klymkowsky, M. W. (see also Ross, M. J.), 635
Kobayashi, Y. & Mohri, H., Microheterogeneity of alpha and beta subunit of tubulin from microtubules of starfish (*Asterias amurensis*) sperm flagella, 613
Krasin, F. & Hutshinson, F., Repair of DNA double-strand breaks in *Escherichia coli*, which requires *rec*A function and the presence of a duplicate genome, 81
Krol, A. (see also Branlant, C.), 443
Kuiper, H. A., Antonini, E. & Brunori, M., Kinetic control of co-operativity in the oxygen binding of *Panuliris interruptus* hemocyanin, 569
Kupfer, D. M. (see also Livingston, D. M.), 249

λ (see also Bacteriophage), 627, 841
L24 ribosomal protein structural gene, 361
Lai, S-P. (see also Westphal, H.), 525
Lambowitz, A. M. (see also Lapolla, R. J.), 189
Lapolla, R. J. & Lambowitz, A. M., Mitochondrial ribosome assembly in *Neurospora crassa*. Chloramphenicol inhibits the maturation of small ribosomal subunits, 189
Lauffer, M. A. (see also Shalaby, R. A. F.), 709
Lenk, E. V. (see also Crowther, R. A.), 489
Lerner, R. A. (see also Siu, C-H.), 469
Lesions, nitrous acid-induced, in bacteriophage T4, multiplicity reactivation and repair, 31
Limulus polyphemus hemocyanin, crystals of a functional 70,000 molecular weight subunit, 171
Liu, M. Y. (see also Wodak, S. Y.), 855
Livingston, D. M. & Kupfer, D. M., Control of *Saccharomyces cerevisiae* 2 μm DNA replication by cell division cycle genes that control nuclear DNA relpication, 249
Loomis, W. F., Jr (see also Siu, C-H.), 469
Love, W. E. (see also Magnus, K. A.), 171

McCallum, D. & Smith, M., Computer processing of DNA sequence data (*Appendix* to Brown, N. L. & Smith, M., 1), 29
McEwen, B. (see also Crepeau, R. H.), 301
McNicol, L. A., Simon, L. D. & Black, L. W., A mutation which bypasses the requirement for p24 in bacteriophage T4 capsid morphogenesis, 261
Mg^{2+}, non-specific role in ribosomal subunit association: kinetics and equilibrium in the presence of other divalent metal ions, 577

Magnus, K. A. & Love. W. E., Crystals of a functional 70,000 molecular weight subunit of hemocyanin from *Limulus polyphemus*, 171
Mammalian protein synthesis, assembly of the initiation complex with purified initiation factors, 755
———, purification and characterization of seven initiation factors, 727
Maniloff, J. (see also Ghosh, A.), 337
Manning, P. A., Pugsley, A. P. & Reeves, P., Defective growth functions in mutants of *Escherichia coli* K12 lacking a major outer membrane protein, 285
Mathews, F. S. (see also Czerwinski, E. W.), 181
Membrane, outer, protein, absence in mutants of *Escherichia coli* K12 causes defective growth, 285
— proteins, rapid accumulation and disappearance during development of wild-type and mutant strains of *Dictyostelium discoideum*, 469
—-bound acetylcholine receptor from *Torpedo californica*, structural studies, 635
Michaels, M. (see also Wang, B. C.), 619
Microtubule assembly, the role of tau; physical and chemical properties of purified tau factor, 227
—-associated protein, tau, that induces assembly of microtubules from purified tubulin; its purification, 207
—-tubulin of starfish (*Asterias amurensis*) sperm flagella, microheterogeneity of alpha and beta subunit, 613
Mitochondrial ribosome assembly in *Neurospora crassa*; chloramphenicol inhibits the maturation of small ribosomal subunits, 189
Miyamoto, C. & Denhardt, D. T., Evidence for the presence of ribonucleotides at the 5′ termini of some DNA molecules isolated from *Escherichia coli polA*ex2, 681
Mohri, H. (see also Kobayashi, Y.), 613
Morphogenetic pathways in *Dictyostelium discoideum*, choice is determined by ammonia, 161
Multiplicity reactivation and repair of nitrous acid-induced lesions in bacteriophage T4, 31
Mutant, thermosensitive, of *Escherichia coli* has an altered L24 ribosomal protein and ribosomal assembly deficiency, 361
Mutants of *Escherichia coli* K12 lacking a major outer membrane protein, defective growth functions, 285
Mutation, spontaneous, studies on its biochemical basis; effect of temperature on mutation frequency, 115
—, studies on its biochemical basis; effect of amino acid substitution on the enzymatic and biological properties of bacteriophage T4 DNA polymerase, 99
— which bypasses the requirements for p24 in bacteriophage T4 capsid morphogenesis, 261
Mycoplasma gallisepticum, lack of repair of ultraviolet light damage, 337

Nash, H. A., Enquist, L. W. & Weisberg, R. A., On the role of the bacteriophage λ *int* gene product in site specific recombination, 627
Navia, M. A. (see also Zimmerman, S. B.), 317
Neck of bacteriophage T4, studies on the structure, protein composition and assembly, 375
Neurospora crassa, mitochondrial ribosome assembly; chloramphenicol inhibits the maturation of small ribosomal subunits, 189
Newman, J., Swinney, H. L. & Day, L. A., Hydrodynamic properties and structure of fd virus, 593
Nitrous acid-induced lesions in bacteriophage T4, multiplicity reactivation and repair, 31
Noda, H. (see also Nojima, H.), 429
Nojima, H., Ikai, A., Oshima, T. & Noda, H., Reversible thermal unfolding of thermostable phosphoglycerate kinase. Thermostability associated with mean zero enthalpy change, 429
Noll, M., DNA folding in the nucleosome, 49
Nonn, E. M. & Bernstein, C., Multiplicity reactivation and repair of nitrous acid-induced lesions in bacteriophage T4, 31
Nuclear DNA replication control genes also control *Saccharomyces cerevisiae* 2μm DNA replication, 249
Nucleosome DNA folding, 49

Octamer of histones free in solution, characterization, 769
Oligoribonucleotides, 5′ terminal, distribution in nascent DNA; RNA primers in Simian virus 40 DNA replication, 549
Oliver, D. B. & Goldberg, E. B., Protection of parental T4 DNA from a restriction exonuclease by the product of gene *2*, 877
Oshima, T. (see also Nojima, H.), 429
Oxygen binding of *Panulirus interruptus* hemocyanin, kinetic control of co-operativity, 569

ϕX174 (see also Bacteriophage), 1
p24 requirement bypassed by a mutation in bacteriophage T4 capsid morphogenesis, 261
Packaging, different, of DNA in the filamentous viruses Pf1 and Xf, 607
Panulirus interruptus hemocyanin, kinetic control of co-operativity in oxygen binding, 569
Pancreatic ribonuclease S, structure with bound cytidilyl (2′, 5′) adenosine, 855
Pathways, morphogenetic, in *Dictyostelium discoideum*, choice is determined by ammonia, 161
Petre, J. (see also Cabezón, T.), 361
Pf1 and Xf filamentous viruses, different DNA packaging, 607
Phosphoglycerate kinase, thermostable, reversible thermal unfolding. Thermostability associated with mean zero enthalpy change, 429
Photochemical cross-linking of DNA–RNA helices by Psoralen derivatives, 661
Polyadenylic acid, an ordered single-stranded structure in denaturing solvents. An X-ray fiber diffraction and model building study, 317
Polymerase for bacteriophage T4 DNA, effect of amino acid substitution on its enzymatic and biological properties; studies on the biochemical basis of mutation, 99
Polymerization *in vitro* of bacteriophage T4D tail core subunits, 347
— of tobacco mosaic virus protein and hydrogen ion uptake, 709
Porcine brain tubulin in extended sheets, structural studies, 301
Protein composition, structure and assembly of the neck of bacteriophage T4, 375
— L24 structural gene, 361
—, microtubule-associated, that induces assembly of microtubules from purified tubulin, purification of tau, 207
—, outer membrane, major, absence in mutants of *Escherichia coli* K12 causes defective growth, 285
—Pav, Bence-Jones, an initial report of its structure, 619
— ROY, Bence-Jones, crystal and molecular structure of the dimer of variable domains, 73
— synthesis, mammalian, assembly of the initiation complex with purified initiation factors, 755
— —, mammalian, purification and characterization of seven initiation factors, 727
— of tobacco mosaic virus, hydrogen ion uptake upon polymerization, 709
Proteins of plasma membrane, rapid accumulation and disappearance during development of wild-type and mutant strains of *Dictyostelium discoideum*, 469
Psoralen derivatives and the photochemical cross-linking of DNA–RNA helices, 661
Pugsley, A. P. (see also Manning, P. A.), 285

Radding, C. M., Beattie, K. L., Holloman, W. K. & Wiegand, R. C., Uptake of homologous single-stranded fragments by superhelical DNA. IV. Branch migration, 825
— (see also Beattie, K. L.), 783
— (see also Wiegand, R. C.), 805
*rec*A function and the presence of a duplicate genome are required for the repair of DNA double-strand breaks in *Escherichia coli*, 81
Receptor binding specificity: implications for constant and variable regions in glycoprotein hormone beta subunit sequences, 175
Recombination, site specific, role of the bacteriophage λ *int* gene product, 627
Reeves, P. (see also Manning, P. A.), 285
Reha-Krantz, L. J. & Bessman, M. J., Studies on the biochemical basis of mutation. IV. Effect of amino acid substitution on the enzymatic and biological properties of bacteriophage T4 DNA polymerase, 99
— (see also Bessman, M. J.), 115
Repair of DNA double-strand breaks in *Escherichia coli*, which requires *rec*A function and the presence of a duplicate genome, 81
— — ultraviolet light damage lacking in *Mycoplasma gallisepticum*, 337
Replication of 2μm DNA of *Saccharomyces cerevisiae* is controlled by cell division cycle genes that control nuclear DNA replication, 249
— — SV40 DNA, and RNA primers; distribution of 5′ terminal oligoribonucleotides in nascent DNA, 549
Ribonuclease S, pancreatic, structure with bound cytidilyl (2′, 5′) adenosine, 855
RNA, adenovirus, early, quantitative electron microscopy, 525
— primers in Simian virus 40 DNA replication; distribution of 5′ terminal oligoribonucleotides in nascent DNA, 549
—, ribosomal, gene recombination in *Escherichia coli*, resultant tandem duplications, 407
— –DNA helices, photochemical cross-linking by Psoralen derivatives, 661
Ribonucleoprotein subparticles from 50 S ribosomal subunits of *Escherichia coli*, characterization, 443

Ribonucleotides, evidence for their presence at the 5′ termini of some DNA molecules isolated from *Escherichia coli polA*ex2, 681
Ribosomal assembly deficiency in an *Escherichia coli* thermosensitive mutant having an altered L24 ribosomal protein, 361
— RNA gene recombination in *Escherichia coli*, resultant tandem duplications, 407
— subunit association, the non-specific role of Mg^{2+}: kinetics and equilibrium in the presence of other divalent metal ions, 577
— 50 S subunits of *Escherichia coli*, characterization of ribonucleoprotein subparticles, 443
Ribosome binding sites, physical location on lambda DNA, 841
—, mitochondrial, assembly in *Neurospora crassa*; chloramphenicol inhibits the maturation of small ribosomal subunits, 189
Ricin, anti-tumor protein, a crystallographic study, 331
Robertus, J. D. (see also Villafranca, J. E.), 331
Ross, M. J., Klymkowsky, M. W., Agard, D. A. & Stroud, R. M., Structural studies of a membrane-bound acetylcholine receptor from *Torpedo californica*, 635
Roth, J. (see also Kleckner, N.), 125
ROY, Bence-Jones protein, crystal and molecular structure of the dimer of variable domains, 73

Saccharomyces cerevisiae 2μm DNA replication, control by cell division cycle genes that control nuclear DNA replication, 249
Sax, M. (see also Wang, B. C.), 619
Schindler, J. & Sussman, M., Ammonia determines the choice of morphogenetic pathways in *Dictyostelium discoiduem*, 161
Schramm, H. J. (see also Colman, P. M.), 73
Schreier, M. H., Erni, B. & Staehelin, T., Initiation of mammalian protein synthesis. I. Purification and characterization of seven initiation factors, 727
— (see also Trachsel, H.), 755
Sequence data for DNA, processing by computer, 29
— of a region of bacteriophage ϕX174 DNA coding for parts of genes *A* and *B*, 1
Sequences of glycoprotein hormone beta subunits, constant and variable regions; implications for receptor binding specificity, 175
Shalaby, R. A. F. & Lauffer, M. A., Hydrogen ion uptake upon tobacco mosaic virus protein polymerization, 709
Shen, C-K. J., Hsieh, T-S., Wang, J. C. & Hearst, J. E., Photochemical cross-linking of DNA–RNA helices by Psoralen derivatives, 661
Simian virus 40 RNA–DNA linkages; distribution of 5′ terminal oligoribonucleotides in nascent DNA, 549
Simon, L. D. (see also McNicol, L. A.), 261
Siu, C-H., Lerner, R. A. & Loomis, W. F., Jr, Rapid accumulation and disappearance of plasma membrane proteins during development of wild-type and mutant strains of *Dictyostelium discoideum*, 469
Smith, M. (see also Brown, N. L.), 1
— (see also McCallum, D.), 29
Sriwidada, J. (see also Branlant, C.), 443
Staehelin, T. (see also Schrier, M. H.), 727
— (see also Trachsel, H.), 755
Starfish (*Asterias amurensis*) sperm flagella, microheterogeneity of alpha and beta subunit of tubulin from microtubules, 613
Stewart, F. (see also Stewart, M.), 175
Stewart, M. & Stewart, F., Constant and variable regions in glycoprotein hormone beta subunit sequences: implications for receptor binding specificity, 175
Stroud, R. M. (see also Ross, M. J.), 635
Structural studies of a membrane-bound acetylcholine receptor from *Torpedo californica*, 635
— studies on porcine brain tubulin in extended sheets, 301
Structure and hydrodynamic properties of fd virus, 593
—, crystal and molecular, of the dimer of variable domains of the Bence-Jones protein ROY, 73
— of bacteriophage T4 baseplate, 489
— — Bence-Jones protein, Pav: an initial report, 619
— — cytidilyl (2′, 5′) adenosine when bound to pancreatic ribonuclease S, 855
—, protein composition and assembly of the neck of bacteriophage T4, 375
—, single-stranded, ordered, for polyadenylic acid in denaturing solvents. An X-ray fiber diffraction and model building study, 317

Superhelical DNA and its uptake of homologous single-stranded fragments: branch migration, 825
— — — — — — — — — — — —: characterization of the reaction, 783
— — — — — — — — — — — —: the product and its enzymic conversion to a recombinant molecule, 805
Sussman, M. (see also Schindler, J.), 161
Swinney, H. L. (see also Newman, J.), 593
Synthesis of mammalian protein, assembly of the initiation complex with purified initiation factors, 755
— — — —, purification and characterization of seven initiation factors, 727

T4 (see also Bacteriophage), 31, 99, 261, 375, 489, 877
T4D (see also Bacteriophage), 347
Tail core subunits of bacteriophage T4D, *in vitro* polymerization, 347
Tandem duplications resulting from recombination between ribosomal RNA genes in *Escherichia coli*, 407
Tau, a microtubule-associated protein that induces assembly of microtubules from purified tubulin; its purification, 207
—, purified, physical and chemical properties; the role of tau in microtubule assembly, 227
Temperature, effect on mutation frequency; studies on the biochemical basis of spontaneous mutation, 115
Thermosensitive mutant of *Escherichia coli* has an altered L24 ribosomal protein and ribosomal assembly deficiency, 361
Thermostability associated with mean zero enthalpy change; reversible thermal unfolding of thermostable phosphoglycerate kinase, 429
Thomas, J. O. & Butler, P. J. G., Characterization of the octamer of histones free in solution, 769
Tobacco mosaic virus, hydrogen ion uptake upon protein polymerization, 709
Torpedo californica, structural studies of a membrane-bound acetylcholine, 635
Trachsel, H., Erni, B., Schreier, M. H. & Staehelin, T., Initiation of mammalian protein synthesis. II. The assembly of the initiation complex with purified initiation factors, 755
α_2-Tropomyosin crystal forms, 883
Tubulin from microtubules of starfish (*Asterias amurensis*) sperm flagella, microheterogeneity of alpha and beta subunit, 613
— of porcine brain, in extended sheets, structural studies, 301

Ultraviolet light damage, lack of repair in *Mycoplasma gallisepticum*, 337
Unfolding, thermal, reversible, of thermostable phosphoglycerate kinase. Thermostability associated with mean zero enthalpy change, 429

Vanderkooi, G. (see also Greaser, M. L.), 883
Villafranca, J. E. & Robertus, J. D., Crystallographic study of the anti-tumor protein ricin, 331
Virus, fd, DNA, the number of nucleotides and the density and refractive index increments, 603
—, —, hydrodynamic properties and structure, 593
—, SV40, RNA-DNA linkages; distribution of 5′ terminal oligoribonucleotides in nascent DNA, 549
—, tobacco mosaic, hydrogen ion uptake upon protein polymerization, 709
Viruses Pf1 and Xf, filamentous, different packaging of DNA, 607

Wagenknecht, T. & Bloomfield, V. A., *In vitro* polymerization of bacteriophage T4D tail core subunits, 347
Wang, B. C., Yoo, C. S., Hwan, R. Y., Sax, M., Brown, W. E. & Michaels, M., Structure of Bence-Jones protein, Pav: an initial report, 619
Wang, J. C. (see also Shen, C-K. J.), 661
Weisberg, R. A. (see also Nash, H. A.), 627
Westphal, H. & Lai, S-P., Quantitative electron microscopy of early adenovirus RNA, 525
Wiegand, R. C., Beattie, K. L., Holloman, W. K. & Radding, C. M., Uptake of homologous single-stranded fragments by superhelical DNA. III. The product and its enzymic conversion to a recombinant molecule, 805
— (see also Beattie, K. L.), 783
— (see also Radding, C. M.), 825
Wiseman, R. L. & Day, L. A., Different packaging of DNA in the filamentous viruses Pf1 and Xf, 607
Wishnia, A. & Boussert, A. S., The non-specific role of Mg^{2+} in ribosomal subunit association: kenetics and equilibrium in the presence of other divalent metal ions, 577

WODAK, S. Y., LIU, M. Y. & WYCKOFF, H. W., The structure of cytidilyl (2′, 5′) adenosine when bound to pancreatic ribonuclease S, 855
WYCKOFF, H. W. (see also WODAK, S. Y.), 855

f and Pf1 filamentous viruses, different packaging of DNA, 607
-ray fiber diffraction and model building study of an ordered single-stranded structure for polyadenylic acid in denaturing solvents, 317

AGUCHI, M. (see also CABEZÓN, T.), 361
AMAGUCHI, M. (see also GREASER, M. L.), 883
OO, C. S. (see also WANG, B. C.), 619

IMMERMAN, S. B., DAVIES, D. R. & NAVIA, M. A., An ordered single-stranded structure for polyadenylic acid in denaturing solvents. An X-ray fiber diffraction and model building study, 317